

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PUBLIC SERVICES – PR&RD Deptt. – Allegations of irregularities in execution of FFW Works, "Strengthening of bund at Ammasamikunta – Tunikimaktha (Village), Wargal (M), Medak district – Disciplinary action initiated against Sri G. Venumadhava Rao, the then Deputy Executive Engineer, Panchayat Raj, Gajwel and Sri M. Anjaneyulu, Assistant Executive Engineer, Medak district – Written Statements of Defenses submitted by the Charged Officers – Further action dropped with warning – Orders – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.Rt.No. 973

Dated: 24.06.2011.

Read the following:-

1. From the ENC, P.R., Hyd., Lr.No.Vig.6/27039/2002, dt:16.8.2010.
2. Govt. Memo.No.18674/Vig.I/2010-1, PR & RD (Vig.I) Dept., Dt.5.10.2010.
3. Govt. Memo.No.18674/Vig.I/2010-2, PR & RD (Vig.I) Dept., Dt.5.10.2010.
4. From Sri M. Anjaneyulu, A.E.E., Wargal (M), Medak district, A.E.E.,
Written Statement of Defense, dt:18.04.2011.
5. From Sri G. Venumadhava Rao, the then Dy.E.E., P.R., Gajwel,
Written statement of Defense, Dt:20.04.2011.
6. From the ENC, PR, Hyd., Lr. No. Vig. 6/27039/02, Dt:02.05.2011.

--:O:--

O R D E R:

In the reference 1st read above, it has been brought to the notice of the Government by the Engineer-in-Chief, Panchayat Raj, Hyderabad, that the team of Engineering Staff College of India, Hyderabad had inspected the work "Strengthening of bund at Ammasamikunta-Tunikimaktha (V), Wargal (M)" taken up under SGRY (SC) Programme in Wargal Mandal, Medak and submitted report to the District Collector, Medak vide Lr.No. ESCI/Consul/SGRY(SC)/02-03, dt:30.10.2003, in which 100% and 50% excess rate for earth work excavation has been given by S/Sri G. Venumadhava Rao, the then Dy.Executive Engineer , Panchayat Raj, Gajwel and M. Anjaneyulu, Asst. Executive Engineer , Medak district, without obtaining certificate on hardness of the soil from the competent authority and caused a total loss of Rs.14,988/-. The Superintending Engineer , Panchayat Raj, Medak has issued recovery orders to effect recoveries from the above individuals for Rs.7,494/- from each, vide Procs.No.A4/477/04, dt:11.10.2004, and they have paid the said amounts vide Challan Nos.13484, dt:13.07.2010 and 8061, dt:13.07.2010. The Engineer-in-Chief, Panchayat Raj, Hyderabad has recommended to initiate disciplinary action against Sri G. Venumadhava Rao, former Deputy Executive Engineer, Panchayat Raj, Gajwel now working as i/c Executive Engineer, PRI, Sangareddy, Medak and Sri M. Anjaneyulu, Asst. Executive Engineer, Medak District.

2. Disciplinary action was initiated, interalia, against Sri G. Venumadhava Rao, former Deputy Executive Engineer, Panchayat Raj, Gajwel now working as i/c Executive Engineer, PRI, Sangareddy, Medak and Sri M. Anjaneyulu, Asst. Executive Engineer, Medak District, by framing article of charges for the above lapses, in the references 2nd and 3rd read above. The Charged Officers submitted their Written Statements of Defenses, in the references 4th and 5th read above and stated that, the deficiencies found are due to increase in the rates of labour component only. But, there is no deficiency in measurements. However, the excess payment of Rs.7,494/- made is only due to hike in labour rates and the same was already recovered from concerned and credited to Government account and there is no financial loss caused to the Government exchequer and requested to consider their Written Statements of Defenses and to drop further action against them.

3. The Engineer-in-Chief, Panchayat Raj, Hyderabad, while furnishing the Written statement of Defenses of both the Charged Officers has requested to drop further action against the two Charged Officers, as there is no change in quantities and only the rate is increased to earth work and the same was already recovered vide reference 6th read above.

(PTO)

::2::

4. Government, after careful examination of the matter, hereby decide to accept the recommendations of the Engineer-in-Chief, Panchayat Raj, Hyderabad, vide reference 8th read above and to drop further action against Sri G. Venumadhava Rao, former Deputy Executive Engineer, Panchayat Raj, Gajwel now working as i/c Executive Engineer, PRI, Sangareddy, Medak and Sri M. Anjaneyulu, Asst. Executive Engineer, Medak District, with a warning. Accordingly, further action against Sri G. Venumadhava Rao, former Deputy Executive Engineer, Panchayat Raj, Gajwel now working as i/c Executive Engineer, PRI, Sangareddy, Medak and Sri M. Anjaneyulu, Asst. Executive Engineer, Medak District, is hereby dropped, with a warning to be careful in future.

5. The Engineer-in-Chief, Panchayat Raj, Hyderabad shall take further action in the matter.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

DR.RAJIV SHARMA
PRINCIPAL SECRETARY TO GOVERNMENT(PR)

To
The Engineer-in-Chief, Panchayat Raj, Hyderabad.
The individuals through Engineer-in-Chief, Panchayat Raj, Hyderabad.
Copy to:
The PR & RD (Estt.I) Deptt.

// FORWARDED::BY::ORDER //

SECTION OFFICER